
LOCOMOTIVE FUEL FILTRATION







Lower Maintenance Costs & Better Performance

Improved Reliability Through Cleaner Fuel

Twice the Service Life with Low ΔP




POWER DRIVES / SCHROEDER INDUSTRIES SOLUTIONS

Locomotive Fuel Filtration Application Explained

The driving force in Diesel Fuel Filtration are the requirements that Tier 3 and 4 engines will need to meet to lower particulate entrainment levels, as well as, reduced tolerance for entrained water. Non Tier 4 locomotives will also benefit by removing particulates that cause wear and tear and malfunctions of critical components, enhancing the life of the locomotive.

Why Advanced Diesel Filtration Now?

Moving to Zero Emissions



Three Key Characteristics of any Filter

- Dirt Holding Capacity: Amount of debris the elements can hold. This dictates service life of the elements between change outs.
- ◆ Efficiency: How effective is the element at removing particulate (ISO Code 4406 looks at three specific particle size ranges < 4 micron, < 6 micron and < 14 micron)
- ◆ Pressure Drop: Amount of resistance in PSI the fuel must overcome to travel through the element. Lower pressure drops equal improved fuel flow


Power Drives / Schroeder Industries Solution

Optimized design to give you the best of all three characteristics


KIT PD15046G1

Contains (1) Top Element and (1) Bottom Element

Sample of a patch magnified to 100X showing a fluid at a cleanliness of approximately ISO 22/21/18, fairly typical of new unfiltered Diesel Fuel at the filling pump.







Advantages & Benefits of changing to PDI / Schroeder Fuel Filtration Elements

Fully Synthetic Design with Dual Layered Media

- Increases Dirt Holding capacity by 242% vs OEM filter
- Efficiency 99.98% of particle @ 4 micron or greater
- Clean Pressure Drop reduced by more than 50%

- Doubles the life between change outs
- Over 50% reduction in maintenance installation time
- Improved cleanliness per ISO code, which exceeds Tier 4 locomotive requirements

LOCOMOTIVE FUEL FILTRATION

Physical Enhancements to the Elements

Improved End Cap Design and Handle

More robust end cap prevents deformation
Allows element to sit flush and seal properly
Corrects common misalignment problems

Power Drives / SIOptimized handle design and OD



Handle design allows element to sit flush and improve sealing






CompetitorExisting handle design and OD



End cap allows misalignment and premature failure





Corporate Office:

Power Drives, Inc. 801 Exchange Street Buffalo, NY 14210

t: 800.888.1373

Manufacturing Locations:

Power Drives, Inc. 801 Exchange Street Buffalo, NY 14210 t: 800.888.1373

Power Drives (China) Co., Ltd. A1 Building, No. 7 Haiyang Road Haiyu Town, Changshu City Jiangsu Province, China 215519

Retail, Repair and Distribution Locations:

Power Drives Express Hose Centers

801 Exchange Street Buffalo, NY 14210

t: 716.512.7786

1075 Sheridan Dr. Tonawanda, NY 14150

t: **716.725.6577**

2425 Brighton Henrietta Town Line Rd. Rochester, NY 14623

t: 585.424.6688

2550 W 23rd St. Erie, PA 16506

t: 814.833.8182

910 Jefferson Ave Washington, PA 15301

t: 724.884.0214

About Power Drives, Inc.

Founded in 1946, PDI designs, manufactures and distributes pneumatic and hydraulic components, assemblies and systems. Driven by our culture of quality, commitment to innovation and focus on people, PDI is a world-class partner that delivers an exceptional value for our customers. With over 200 employees in multiple locations, we are proud to provide premier industrial distribution and manufactured products and engineering expertise to help solve problems and meet your goals.

